





REV	DESCRIPTION	DATE
A	ORIGINAL ISSUE	AUG 22'00



NOTE :

1. CONTROLLING DIMENSION : MILLIMETER. CONVERTED INCH DIMENSION ARE NOT NECESSARILY EXACT.
2. DIMENSIONING AND TOLERANCING PER ANSI Y14.5M-1994.
3. DIMENSION "D" DOES NOT INCLUDE MOLD FLASH, PROTRUSION OR GATE BURR, MOLD FLASH, PROTRUSION AND GATE BURR SHALL NOT EXCEED 0.15MM(0.006") PER SIDE. DIMENSION E1 DO NOT INCLUDE INTER-LEAD FLASH OR PROTRUSION, INTER-LEAD FLASH AND PROTRUSION SHALL NOT EXCEED 0.15MM (0.006") PER SIDE.
4. THE PACKAGE TOP BE SMALLER THAN THE PACKAGE BOTTOM. DIMENSION D AND E1 ARE DETERMINED AT THE OUTERMOST EXTREMES OF THE PLASTIC BODY EXCLUSIVE OF MOLD FLASH, TIE BAR BURRS, GATE BURRS AND INTERLEAD FLASH, BUT INCLUDING ANY MISMATCH BETWEEN THE TOP AND BOTTOM OF THE PLASTIC BODY
5. DIMENSION 'b' DOES NOT INCLUDE DAMBAR PROTRUSION. ALLOWABLE DAMBAR PROTRUSION SHALL BE 0.08 mm(0.0031) TOTAL IN EXCESS OF THE 'b' DIMENSION AT MAXIMUM MATERIAL CONDITION.

	DRAWN BY: PICHEST	TITLE: 10 LEAD MSOP PACKAGE OUTLINE DRAWING.	
	CHECKED BY: THANAPONG	DATE : OCT 09'00	REF. NO. : JEDEC MO-187 "BA"
	APPROVED BY: TOM	DWG. NO. U010PO-01	SCALE : NOT TO SCALE
	APPROVED BY: VIRAT	REV. A	SHEET 1 OF 1